

## XI'AN FUNCTION MATERIAL GROUP CO., LTD Material Safety Data Sheet

## Aluminum Nitride

	1. Product and Company Identification		
`rade Name: Aluminum Nitride			
Chemical Formula:	AlN		
Recommended Use:	Scientific research and development		
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD		
Street:	No. 69, Gazelle Valley, High-Tech Zone		
City:	XI'AN		
State:	Shannxi		
Zip Code:	710077		
Country:	China		
Tel #:	+86-29-88993870/+86-13519132051		
	2. Hazards Identification		
Signal Word:	Warning		
Hazard Statements:	H315 Causes skin irritation. H319 Causes serious eye irritation. H335: May cause respiratory irritation		
Precautionary Statements:	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face		
	protection P305+P351+P338 IF IN EYES: Rinse cautiously with water for sever minutes. Remove contact lenses, if present and easy to do. Continue		
	rinsing. P304+P340: IF INHALED: Remove victim to fresh air and keep at re in a position comfortable for breathing		
	P405: Store locked up		
	P501: Dispose of contents/container in accordance with		
	local/regional/national/international regulations		
HMIS Health Ratings (0-4):			
Health:	1		
Flammability:	1 0		
Physical:	1		
r iiysicai.	1		

	3. Composition
Chemical Family:	Ceramic
Additional Names:	None
Aluminum Nitride (AlN):	
Percentage:	100 wt%
CAS #:	24304-00-5
EC #:	246-140-8
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek Medical Attention.
Skin:	Wash affected area with mild soap and water. Remove any
P. C.	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	Do not use water for metal fires – use CO <sub>2</sub> , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal.
Environmental Precautions:	Take care not to raise dust. Isolate runoff to prevent environmental pollution.
Environmental Freedutions.	isolate fullori to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry
Work/Hygienic Maintenance:	inert gas. Store apart from materials and conditions listed in section 10 Do not use tobacco or food in work area. Wash thoroughly before
work/rrygionic maintenance.	eating and smoking. Do not blow dust off clothing or skin with
	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
	threshold limit.

8. Exposure Controls and Personal Protection Permissible Exposure Limits: N/A Threshold Limit Value:  $1 \text{ mg/m}^3$  as Al as respirable fraction, long-term value Special Equipment: None **Respiratory Protection:** Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protective Gloves: Nitrile rubber, NBR Eye Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long sleeves/pants. 9. Physical and Chemical Characteristics Color White Form: Powder, Granules, Pellets, Sputtering target, Custom parts Odor: Ammonia-like Water Solubility: Hydrolyzes slowly **Boiling Point:** N/A Melting Point: >2200 °C Decomposition temperature ~977 °C Flash Point: N/A Autoignition Temperature: N/A Density: 3.26 g/cc Molecular weight: 40.99 g/mol 10. Reactivity Stability: Stable under recommended storage conditions Acids, Water, Bases, Oxidizing agents Reacts With: Incompatible Conditions: Water/moisture Hazardous Decomposition Products: Nitrogen oxides, Ammonia, Metal oxide fume 11. Toxicological Information Potential Health Effects: Eves: Causes serious eye damage Skin: Causes irritation Ingestion: May cause irritation Inhalation: May cause irritation Chronic: N/A Signs & Symptoms: N/A Aggravated Medical Conditions: N/A Median Lethal Dose: N/A Carcinogen: N/A 12. Ecological Information Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No

N/A

Notes:

3 of 4

13. Disposal Considerations	
-----------------------------	--

Hazardous:	Not hazardous for transportation.		
Hazard Class:	N/A		
Packing Group:	N/A		
UN Number:	N/A		
Proper Shipping Name:	N/A		
	15. Regulatory Information		
Sec 302 Extremely Hazardous:	No		
Sec 304 Reportable Quantities:	N/A		
Sec 313 Toxic Chemicals:	No		

Dispose of in accordance with local, state, national, and international regulations.

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

05/05/2015