



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Material Safety Data Sheet
Calcium Selenide

1. Product and Company Identification

Trade Name: Calcium Selenide
Chemical Formula: CaSe

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street: No. 69, Gazelle Valley, High-Tech Zone
City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China
Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word:

Danger



Hazard Statements:

H301+H331: Toxic if swallowed or if inhaled
H373: May cause damage to organs through prolonged or repeated exposure
H400: Very toxic to aquatic life
H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P260: Do not breathe dust/fume/gas/mist/vapours/spray
P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P264: Wash thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P271: Use only outdoors or in a well-ventilated area
P273: Avoid release to the environment
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P320: Specific treatment is urgent
P405: Store locked up
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2
Flammability: 1
Physical: 2

3. Composition

Chemical Family:	Ceramic
Additional Names:	N/A
Calcium Selenide (CaSe):	
Percentage:	100 wt%
CAS #:	1305-84-6
EC #:	215-141-5

4. First Aid Procedures

General Treatment:	Seek medical attention.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Do not use mouth-to-mouth method if victim inhaled the substance. Call a POISON CENTER or doctor/physician.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Skin:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Get medical attention if irritation develops and persists.

5. Firefighting Measures

Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	0.2 mg/m ³
Threshold Limit Value:	0.2 mg/m ³
Special Equipment:	None
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protective Gloves:	Nitrile rubber, NBR 0.6 mm thick.
Penetration time of glove material:	480 minutes
Eye Protection:	Safety glasses or goggles, Full face protection
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	White
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	N/A
Water Solubility:	N/A
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	3.57 g/cc
Molecular weight:	119.049 g/mol

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	Strong oxidizing agents, water/moisture
Incompatible Conditions:	Strong oxidizing environments, water/moisture
Hazardous Decomposition Products:	Selenium dioxide, Calcium oxide, Toxic metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	Toxic if swallowed
Inhalation:	Toxic if inhaled
Chronic:	May cause damage to organs through prolonged or repeated exposure

Signs & Symptoms: N/A

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity:	High
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Do not allow product to reach any water sources. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effect on aquatic life.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation



Hazard Class:	6.1 Selenium Compound
Packing Group:	PG III
UN Number:	UN3283
Proper Shipping Name:	Selenium compound, solid, n.o.s. (Calcium Selenide)

15. Regulatory Information

Sec 302 Extremely Hazardous:	No
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 02/14/2018

FUNCMATER