

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Fluorine Doped Tin Oxide

1. Product and Company Identification

Trade Name: Fluorine doped tin oxide

Chemical Formula: SnO₂-SnF₂

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD No. 69,

Street: Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Warning



Hazard Statements: H315 Causes skin irritation

H319 Causes serious eye irritation

H305 May be harmful if swallowed and enters airways

Precautionary Statements: P261 Avoid breathing dust/fume/vapor

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

3. Composition

Chemical Family: Ceramic

Additional Names: Tin oxide tin fluoride, Tin oxide F doped

Tin oxide (SnO₂):

Percentage: Typically 90 wt% CAS #: 18282-10-5 EC #: 242-159-0

Tin fluoride (SnF₂):

Percentage: Typically 10 wt%

CAS #: 7783-47-3 EC #: 231-999-3 4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Skin:

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion: Give one to two glasses of water and induce vomiting. Never induce

vomiting or give anything by mouth to an unconscious person.

Wash affected area with mild soap and water. Remove any

contaminated clothing.

Eyes: Flush eyes with water, blinking often for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

5. Fire and Explosion Hazards Data

Flammability: Non-flammable

Flash Point: N/A
Autoignition Temperature: N/A

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 2 mg/m³ as Sn, long-term value Threshold Limit Value: 2 mg/m³ as Sn, long-term value

Special Equipment: None

Respiratory Protection: Dust Respirator, NIOSH approved

Protective Gloves: Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

| 9. Physical and Chemical Characteristics | | |
|--|--|--|
| Color | White to off white | |
| Form: | Powder, Granules, Pellets, Sputtering target, Custom parts | |
| Odor: | Odorless | |
| Water Solubility: | Insoluble, may hydrolyze slowly | |
| Boiling Point: | N/A | |
| Melting Point: | >1630 °C | |
| Density: | N/A | |
| Molecular weight: | N/A | |
| | 10. Reactivity | |
| Stability: | Stable under recommended storage conditions | |
| Reacts With: | Oxidizing agents, Alkalis | |
| Incompatible Conditions: | None | |
| Hazardous Decomposition Products: | Metal oxide fume, Hydrogen fluoride | |
| | 11. Toxicological Information | |
| Potential Health Effects: | | |
| Eyes: | May cause serious irritation | |
| Skin: | May cause irritation | |
| Ingestion: | May cause burning effect | |
| Inhalation: | May cause irritation | |
| Chronic: | N/A | |
| at a g | 27/1 | |
| Signs & Symptoms: | N/A | |
| Aggravated Medical Conditions: | N/A | |
| Median Lethal Dose: | 360 mg/kg for rat by mouth as SnF ₂ | |
| Carcinogen: | N/A | |
| | 12 Feelogical Information | |
| | 12. Ecological Information | |
| Ecological data is not available. | | |
| | 13. Disposal Considerations | |
| Dispose of in accordance with local, state | e, national, and international regulations. | |
| | 14. Transportation Data | |
| Hazardous: | Hazardous for transportation as powder only | |
| | CORROSIVE | |

Hazard Class: 8 Corrosive substances

Packing Group: III UN Number: UN3260

Proper Shipping Name: Corrosive solid, acidic, inorganic, n.o.s. (Fluorine doped tin oxide)

| | 15. Regulatory Information | |
|--------------------------------|----------------------------|--|
| Sec 302 Extremely Hazardous: | No | |
| Sec 304 Reportable Quantities: | N/A | |
| Sec 313 Toxic Chemicals: | No | |

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 04/06/2016