

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Manganese Telluride

 Product and 	I Cmnany	Identitication.
1. I Toduct and	COMBany.	luchimicanon

Trade Name: Manganese telluride

Chemical Formula: MnTe₂

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H301: Toxic if swallowed.

Precautionary Statements: P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician.

P321: Specific treatment (see on this label)

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

3. Composition

Chemical Family: Ceramic

Additional Names: Manganese(II) Telluride

Manganese telluride (MnTe₂):

Percentage: 100 wt% CAS #: 12032-89-2 EC #: 234-783-7

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Seek Medical Attention. Ingestion: Skin: Wash affected area with mild soap and water. Remove any contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable No special restrictions – use suitable extinguishing agent for Extinguishing Media: surrounding material and type of fire. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage Handling Conditions: Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from **Storage Conditions:** materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance: eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: 0.1 mg/m³ as Te, long-term value Threshold Limit Value: 0.1 mg/m³ as Te, long-term value Special Equipment: None **Respiratory Protection: Dust Respirator** Protective Gloves: Rubber gloves Eve Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Phy	vsical and Chemical Characteristics		
Color	N/A		
Form:	Pieces		
Odor:	Odorless Insoluble N/A N/A N/A N/A N/A N/A N/A		
Water Solubility:			
Boiling Point:			
Melting Point:			
Flash Point:			
Autoignition Temperature:			
Density:			
Molecular weight:	310.14 g/mol		
	10. Reactivity		
Stability:	Stable under recommended storage conditions		
Reacts With:	Alkali metals		
Incompatible Conditions:	None		
Hazardous Decomposition Products:	Metal oxide fume		
1	11. Toxicological Information		
Potential Health Effects:			
Eyes:	May cause irritation		
Skin:	May cause irritation		
Ingestion:	May cause irritation		
Inhalation:	May cause irritation		
Chronic:	Tellurium is converted in the body to dimethyl telluride which imparts		
	garlic-like odor to the breath and sweat. Heavy exposure may result in		
	headache, drowsiness, metallic taste, loss of appetite, nausea, tremors		
	convulsions, and respiratory arrest.		
	Chronic exposure to manganese may cause impairment to the central		
	nervous system. Symptoms include sluggishness, sleepiness, muscle weakness, loss of facial muscle control, edema, emotional disturbance		
	spastic gait and falling.		
Signs & Symptoms:	N/A		
Aggravated Medical Conditions:	N/A		
Median Lethal Dose:	N/A		
Carcinogen:	N/A		
	12. Ecological Information		
Aquatic Toxicity:	Low		
Persistent Bioaccumulation Toxicity:	No		
Very Persistent, Very Bioaccumulative:			
Notes:	N/A		
	13. Disposal Considerations		

Dispose of in accordance with local, state, national, and international regulations.

Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
Proper Shipping Name:	N/A	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/13/2016